Acta Physiol Scand 1991, **142**, 533–536

Author index

AARLI, V., REED, R. K. & AUKLAND, K. Effect of longstanding venous stasis and hypoproteinaemia on lymph flow in the rat tail, 1

ÅBORG, C. H. (*see* UVNÄS, B.)

AFFLERBACH, R. (*see* NEPPL, H.)

AHRÉN, B. (*see* KARLSSON, S.)

ALEXANDROV, Y. I., GRINCHENKO, Y. V., LAUKKA, S., JÄRVILEHTO, T. & MAZ, V. N. Acute effects of alcohol on unit activity in the motor cortex of freely moving rabbits: comparison with the limbic cortex, 429

AMBROSIO, S. (*see* BALLARÌN, M.)

ANDERSON, J. (*see* USHA RAJ, J.)

ANDERSSON, K.-E. (*see* LINDGREN, S.)

ANDERSSON, R. G. G. (*see* JACOBSSON, L.)

ANDRÉASSON, K., GALUSKA, D., THÖRNE, A., SONNENFIELD, T. & WALLBERG-HENRIKSEN, H. Decreased insulin-stimulated 3-*O*-methylglucose transport as in *in vitro* incubated muscle strips from type II diabetics, 255

ANDERSSON, R. (*see* SALDEEN, K.)

APERIA, A. (*see* VAN DER PLOEG, I.)

ARLOCK, P., NOBLE, M. I. M. & WOHLFART, B. Cardiac cell membrane repolarization is required for onset of mechanical restitution in papillary muscle, 113

ARNER, H. & HÖGESTÄTT, E. D. Endothelium-dependent relaxation and effects of prostacyclin endothelin and platelet activating factor in human hand veins and arteries, 165

AUBERSON, S., LACROIX, J. S., MOREL, D. R., LEHMANN, W. & LUNDBERG, J. M. Methylene blue attenuates vasodilation and enhances vasoconstriction in response to endothelin-I in the pig nasal mucosa, 149

AUKLAND, K. (*see* AARLI, V.)

AXELSSON, M., FRITSCHE, R., HOLMGREN, S., GROVE, D. J. & NILSSON, S. Gut blood flow in the estuarine crocodile, *Crocodylus porosus*, 509

BAILE, E. M. (*see* GODDEN, D. J.)

BALLARÍN, M., FREDHOLM, B. B., AMBROSIO, S. & MAHY, N. Extracellular levels of adenosine and its metabolites in the striatum of awake rats: inhibition of uptake and metabolism, 97

BEEUWKES III, R. (*see* SJÖQVIST, A.)

BERGE, O.-G. (*see* TJOLSEN, A.)

BERGLUND, B. (*see* GRUBBSTROM, J.)

BERHÖFER, A. (*see* NEPPL, H.)

BERTORELLO, A. (*see* VAN DER PLOEG, I.)

BJÖRNBERG, J. (*see* MASPERS, M.)

BOHMER, G. (*see* SCHMID, K.)

BOJÖ, L., NELLGÅRD, P. & CASSUOTO, J. Effects of selective adrenergic agonists and antagonists on gastric tone in the rat, 517

BRISMAR, T. *In vivo* analysis of intracellular thallium-201 accumulation in skeletal muscle of the rat, 475

BUDA, M. (*see* CHARLETY, P. J.)

BYSTRÖM, S. & SJOGAARD, G. Potassium homeostasis during and following exhaustive submaximal static handgrip contractions, 59

CARLQUIST, M. (*see* VAN DER PLOEG, I.)

CASSUOTO, J. (*see* BOJÖ, L.)

CELSI, G. (*see* VAN DER PLOEG, I.)

CHARLETY, P. J., GRENHOGG, J., CHERGUI, K., DE LA CHAPELLE, B., BUDA, M., SVENSSON, T. H. & CHOUVET, G. Burst firing of mesencephalic dopamine neurons is inhibited by somatodendritic application of kynurenate, 105

CHERGUI, K. (*see* CHARLETY, P. J.)

CHOUVET, G. (*see* CHARLETY, P. J.)

COATES, G. (*see* MACDOUGALL, J. D.)

CYMERMAN, A. (*see* MACDOUGALL, J. D.)

DANIELSON, L. G. (*see* UVNÄS, B.)

DE LA CHAPELLE, B. (*see* CHARLETY, P. J.)

DIENER, M. (*see* NOBLES, M.)

DIVER-HABER, A. (*see* JONAS, A.)

EDSTRÖM, A. (*see* EKSTRÖM, P. A. R.)

EDWALL, L. (*see* FAZEKAS, A.)

EHMKE, H. (*see* PERSSON, P. B.)

EKSTRÖM, P. A. R., WALLIN, M., KANJE, M. & EDSTRÖM, A. A calmodulin inhibitor with high specificity, compound 48/80, inhibits axonal transport in frog nerves without disruption of axonal microtubules, 181

ERIKSEN, M. (*see* WAALER, B. A.)

ERJEFÄLT, I. (*see* GRIEFF, L.)

FAGIUS, J. & KAY, R. Low ambient temperature increases baroflex-governed sympathetic outflow to muscle vessels in humans, 201

FALCKS, B. (*see* HURME, T.)

FANDRIKS, L. (*see* JONSON, C.)

FAZEKAS, A., OLGART, L., GAZELIUS, B., KEREZOUDIS, N. & EDWALL, L. Effects of angiotensin II on blood flow in rat submandibular gland, 503

FOLKOW, B. (*see* JOHNSSON, E.)

FORSBERG, K. (*see* KARLSSON, J. A.)

FRANCK, J. (*see* FRIED, G.)

FRANCO-CERCEDA, A. (*see* LOU, Y.-P.)

FREDHOLM, B. B. (*see* BALLARÍN, M.)

FREDHOLM, B. B. (*see* LJUNGGREN, Ö)

FREDHOLM, B. B. (*see* VAN DER PLOEG, I.)
FRIDÉN, J., LIEBER, R. L. & THORNELL, L.-E. Subtle indications of muscle damage following eccentric contractions, 523
FRIED, G., WIKSTROM, L.-M., FRANCK, J. & ROKAEUS, A. Galanin and neuropeptide Y in chromaffin granules from the guinea-pig, 487
FRITSCHE, R. (*see* AXELSSON, M.)

GALUSKA, D. (*see* ANDRÉASSON, K.)
GAZELIUS, B. (*see* FAZEKAS, A.)
GEBAUER, K. (*see* SCHMID, K.)
GERDLE, B., HENRIKSSON-LARSEN, K., LORENTZON, R. & WRETLING, M.-L. Dependence of the mean power frequency of the electromyogram on muscle force and fibre type, 457
GOBBETTI, A. (*see* ZERANI, M.)
GODDEN, D. J., BAILE, E. M. & PARÉ, P. D. A comparison of laser Doppler flowmetry with the radio-labelled microsphere reference flow technique to measure tracheal blood flow in dogs, 49
GOLLNICK, P. D., KÖRGE, P., KARPAKKA, J. & SALTIN, B. Elongation of skeletal muscle relaxation during exercise is linked to reduced calcium uptake by the sarcoplasmic reticulum in man, 135
GRANSTAM, E. & NILSSON, S. F. E. Effects of cervical sympathetic nerve stimulation and neuropeptide Y (NPY) on cranial blood flow in the cat, 21
GREEN, H. J. (*see* MACDOUGALL, J. D.)
GRENHOGG, J. (*see* CHARLETY, P. J.)
GRIEFF, L., ERJEFÄLT, I., PIPKORN, U. & PERSSON, C. Effects of airway luminal concentration of albumin on histamine-induced mucosal exudation of radio-iodine-labelled albumin
GRINCHENKO, Y. V. (*see* ALEXANDROV, Y. I.)
GROVE, D. J. (*see* AXELSSON, M.)
GRUBBSTRÖM, J., BERGLUND, B. & KAIJSER, L. Myocardial blood flow and lactate metabolism at rest and during exercise with reduced arterial oxygen content, 467
GRUNDSTROM, N. (*see* JACOBSSON, L.)

HAMLET, A. (*see* JONSON, C.)
HASSI, J., RINTAMÄKI, H., RAUSKOAHO, H., LEPPÄLUOTO, J. & VUOLTEENAHO, O. Plasma levels on endothelin-1 and atrial natriuretic peptide in men during a 2-hour stay in a cold room, 481
HENRIKSSON-LARSEN, K. (*see* GERDLE, B.)
HILLYARD, R. (*see* USHA RAJ, J.)
HÖGESTATT, E. D. (*see* ARNER, H.)
HOLE, K. (*see* TJOLSEN, A.)
HOLMGREN, S. (*see* AXELSSON, M.)
HOUSTON, C. S. (*see* MACDOUGALL, J. D.)
HURME, T., LEHTO, M., FALCKS, B., TAINHO, H. & KALIMO, H. Electromyography and morphology during regeneration of muscle injury in rats, 443

IRJALA, K. (*see* JOKINEN, E.)
ITOKAWA, Y. (*see* KONDO, H.)

JACOBSSON, L., GRUNDSTRÖM, N. & ANDERSSON, R. G. G. Influence of some α_2-receptor agonists and antagonists on the excitatory non-adrenergic, non-cholinergic neurotransmission in the airways of guinea-pigs *in vivo*, 91
JANSSON, T. The microsphere technique in anaesthetized and awake pregnant guinea-pigs: reproducibility of repeated blood flow measurements, 237
JÄRVILEHTO, T. (*see* ALEXANDROV, Y. I.)
JOKINEN, E., VÄLIMÄKI, I., MARNIEMI, J., SEPPÄNEN, A., IRJALA, K. & SIMELL, O. Children in sauna: hormonal adjustments to intensive short thermal stress, 437
JOHNSSON, E., FOLKOW, B. & KARLSTRÖM, G. Myogenic responsiveness in rat hindquarter vessels during constant-flow and constant-pressure perfusion *in vitro*; effects of various potassium concentrations and of endothelial nitrous oxide blockade, 319
JONAS, A., DIVER-HABER, A. & YAHAV, J. Adaptive response of ileal mucosa to malnutrition in the rat: role of polyamines, 387
JONSON, C., HAMLET, A. & FANDRIKS, L. Hypovolaemia inhibits acid-induced alkaline transport in the rat duodenum via an α_2-adrenergic mechanism, 367
JUEL, C. Human muscle lactate transport can be studied in sarcolemmal giant vesicles made from needle-biopsies, 133

KAAPA, P. (*see* USHA RAJ, J.)
KAIJSER, L. (*see* GRUBBSTRÖM, J.)
KALIMO, H. (*see* HURME, T.)
KANGAS, S. (*see* VIRTA, E.)
KANJE, M. (*see* EKSTRÖM, P. A. R.)
KARLSSON, J. A., ZACKRISSON, C., SJÖLIN, C. & FORSBERG, K. Cigarette smoke-induced changes in guinea-pig responsiveness to histamine and citric acid, 119
KARLSSON J. A. (*see* LOU, Y.-P.)
KARLSSON, S. & AHRÉN, B. Cholecystokinin-stimulated insulin secretion and protein kinase C in rat pancreatic islets, 397
KARLSTRÖM, G. (*see* JOHNSSON, E.)
KARPAKKA, J. (*see* GOLLNICK, P. D.)
KAY, R. (*see* FAGIUS, J.)
KEREZOUDIS, N. (*see* FAZEKAS, A.)
KHASAR, S. & ORIOWO, M. Vascular smooth muscle sensitivity to noradrenaline is reduced during an infection with *Trypanosoma brucei* in rats and rabbits, 247
KIRCHHEIM, H. R. (*see* PERSSON, P. B.)
KIVILUOTO, T. (*see* VIKMAN, H.-L.)
KNIGGE, G. (*see* MATZEN, S.)

KONDO, H., MIURA, M. & ITOKAWA, Y. Oxidative stress in skeletal muscle atrophied by immobilization, 527
KÖRGE, P. (*see* GOLLNICK, P. D.)

LACROIX, J. S. (*see* AUBERSON, S.)
LAHDES, S. (*see* VIRTANEN, P.)
LAUKKA, S.(*see* ALEXANDROV, Y. I.)
LAWSON, D. (*see* SALDEEN, K.)
LEHMANN, W. (*see* AUBERSON, S.)
LEHTO, M. (*see* HURME, T.)
LEPPÄLUOTO, J. (*see* HASSI, J.)
LERNER, U. H. (*see* LJUNGGREN, Ö.)
LIEBER, R. L. (*see* FRIDÉN, J.)
LINDÉN, A., LÖFDAHL, C. G., ULLMAN, A. & SKOOGH, B. E. *In vitro* characteristics of spontaneous airway tone in the guine-pig, 351
LINDGREN, S. & ANDERSSON, K.-E. Effects of selective phosphodiesterase inhibitors on isolated coronary, lung and renal arteries from man and rat, 77
LJUNGGREN, Ö., FREDHOLM, B. B. & LERNER, U. H. On the role of polyamines on bone resorption induced by parathyroid hormone, 267
LLACH PUIG NEPPL, J. (*see* NEPPL, H.)
LÖFDAHL, C. G. (*see* LINDÉN, A.)
LORENTZON, R. (*see* GERDLE, B.)
LOU, Y.-P., KARLSSON, J. A., FRANCO-CERCEDA, A. & LUNDBERG, J. M. Selectivity of ruthenium red in inhibiting bronchoconstriction and CGRP release induced by afferent C-fibre activation in the guinea-pig lung, 181
LUNDBERG, J. M. (*see* AUBERSON, S.)
LUNDBERG, J. M. (*see* LOU, Y.-P.)
LYSSARIDES, L. (*see* UVNÄS, B.)

MACDOUGALL, J. D., GREEN, H. J., SUTTON, J. R., COATES, G., CYMERMAN, A., YOUNG, P. & HOUSTON, C. S. Operation Everest II: structural adaptations in skeletal muscle in response to extreme simulated altitude, 421
MAHY, N. (*see* BALLARÍN, M.)
MARNIEMI, J. (*see* JOKINEN, E.)
MASPERS, M. & BJÖRNBERG, J. Beta$_2$-adrenergic attenuation of capillary pressure autoregulation during haemorrhagic hypotension, a mechanism promoting transcapillary fluid absorption in skeletal muscle, 11
MATZEN, S., SCHIFTER, S., RADVANSKY, J., KNIGGE, G., WARBERG, J. & SECHER, N. H. Calcitonin gene-related peptide (CGRP) and leg vascular resistance during head-up tilt induced by hypovolaemic shock in man, 313
MAZ, V. N. (*see* ALEXANDROV, Y. I.)
MEHTA, J. (*see* SALDEEN, K.)
MESTRES, P. (*see* NOBLES, M.)
MIURA, M. (*see* KONDO, H.)
MOREL, D. R. (*see* AUBERSON, S.)
MORNER, S. E. J. N. & WOHLFART, B. The action of 2,3-butanedionemonoxime on the inotropic state in guinea-pig myocardium, 211
MORRISON, J. B. (*see* TAYLOR, N. A. S.)

NELLGÅRD, P. (*see* BOJÖ, L.)
NEPPL, H., NEUHOF, H., AFFLERBACH, R., LLACH PUIG NEPPL, J. & BERHÖFER, A. Bradykinin-induced oedema formation proceeds from B receptor stimulation and is potentiated by concomitantly released prostaglandins, 141
NEUHOF, H. (*see* NEPPL, H.)
NICHOLS, W. (*see* SALDEEN, K.)
NILSSON, S. F. E. (*see* GRANSTAM, E.)
NILSSON, S. (*see* AXELSSON, M.)
NOBLE, M. I. M. (*see* ARLOCK, P.)
NOBLES, M., DIENER, M., MESTRES, P. & RUMMEL, W. Segmental heterogeneity of the rat colon in the response to activators of secretion on the cAMP-, the cGMP- and the Ca^{2+}-pathway

OHISALO, J. J. (*see* VIKMAN, H.-L.)
OLGART, L. (*see* FAZEKAS, A.)
ORIOWO, M. (*see* KHASAR, S.)
OSADA, H. The effects of hypobaric hypoxia (50.6 kPa) on blood components in guinea-pigs, 261

PARÉ, P. D. (*see* GODDEN, D. J.)
PASANEN, L. (*see* VIRTANEN, P.)
PERSSON, C. (*see* GRIEFF, L.)
PERSSON, P. B., EHMKE, H. & KIRCHHEIM, H. R. Blood pressure control in arterial and cardiopulmonary receptor-denervated dogs, 221
PETERSSON, A.-S. (*see* WENNMALM, A.)
PIPKIORN, U. (*see* GRIEFF, L.)
POLZONETTI-MAGNI, A. (*see* ZERANI, M.)
PURALI, N. (*see* RYDQVIST, B.)
PURANEN, J. (*see* VIRTANEN, P.)

RADVANSKY, J. (*see* MATZEN, S.)
RANTA, S. (*see* VIKMAN, H.-L.)
REED, R. K. (*see* AARLI, V.)
RINTAMÄKI, H. (*see* HASSI, J.)
ROKAEUS, A. (*see* FRIED, G.)
RUMMEL, W. (*see* NOBLES, M.)
RUSKOAHO, H. (*see* HASSI, J.)
RYDQVIST, B. & PURALI, N. Potential-dependent potassium currents in the rapidly adapting stretch receptor neuron of the crayfish, 67

SALDEEN, K., NICHOLS, W., LAWSON, D., ANDERSSON, R., SALDEEN, T. & MEHTA, J. Fibrin(ogen) degradation product peptide 6A increases femoral artery blood flow in dogs, 339
SALDEEN, T. (*see* SALDEEN, K.)
SALO, A. (*see* VIRTA, E.)
SALTIN, B. (*see* GOLLNICK, P. D.)

SANDGREN, G. (*see* WENNMALM, A.)
SCHIFTER, S. (*see* MATZEN, S.)
SCHMID, K., BÖHMER, G. & GEBAUER, K. $GABA_A$ receptor mediated fast synaptic inhibition in the rabbit brain-stem respiratory system, 411
SCHULTZ, T. (*see* VIRTA, E.)
SECHER, N. H. (*see* MATZEN, S.)
SEPPANEN, A. (*see* JOKINEN, E.)
SIMELL, O.(*see* JOKINEN, E.)
SJOGAARD, G. (*see* BYSTRÖM, S.)
SJÖLIN, C. (*see* KARLSSON, J. A.)
SJÖQVIST, A. & BEEUWKES, III, R. Antisecretory effect of splanchnic nerve stimulation on cholera toxin-induced secretion in the cat, and effect mediated at the crypts, 359
SJÖQVIST, A. Interaction between antisecretory opioid and sympathetic mechanisms in the rat small intestine, 127
SKOOGH, B. E. (*see* LINDÉN, A.)
SONNENFIELD, T. (*see* ANDRÉASSON, K.)
SUTTON, J. R. (*see* MACDOUGALL, J. D.)
SVENSSON, T. H. (*see* CHARLETY, P. J.)

TAINHO, H. (*see* HURME, T.)
TAKALA, T. E. S. (*see* VIRTANEN, P.)
TAYLOR, N. A. S. & MORRISON, J. B. Pulmonary flow-resistive work during hydrostatic loading, 307
THÖRNE, A. (*see* ANDREASSON, K.)
THORNELL, L.-E. (*see* FRIDÉN, J.)
TJOLSEN, A., BERGE, O.-G. & HOLE, K. Lesions of bulbo-spinal serotoninergic or noradrenergic pathways reduce nociception as measured by the formalin test, 229
TOLONEN, R. (*see* VIRTA, E.)
TOSKA, K. (*see* WAALER, B. A.)

ULLMAN, A. (*see* LINDÉN, A.)
USHA, RAJ, J., KAAPA, P., HILLYARD, R. & ANDERSON, J. Pulmonary vascular pressure profile in adult ferrets: measurements *in vivo* and in isolated lungs, 40
UUSITALO, H. (*see* VIRTA, E.)
UVNÄS, B., ABORG, C. H., LYSSARIDES, L. & DANIELSON, L. G. Juxtacellular histamine, concentration governs histamine release from rat peritoneal mast cells, 173

VÄÄNÄNEN, H. K. (*see* VIRTANEN, P.)
VÄLIMÄKI, I. (*see* JOKINEN, E.)
VAN DER PLOEG, I., FREDHOLM, B. B., CARLQUIST, M., BERTORELLO, A., APERIA, A. & CELSI, G. Localization of several G-protein subunits to the apical and basolateral membranes of cortical tubular cells from the rat kidney, 83
VIKMAN, H.-L., RANTA, S., KIVILUOTO, T. & OHISALO, J. J. Different metabolic regulation by adenosine in omental and subcutaneous adipose tissue, 405
VIRTA, E., KANGAS, S., TOLONEN, R., SCHULTZ, T., SALO, A. & UUSITALO, H. Neurokinin A in the parotid and submandibular glands of the rat: immunohistochemical localization and effect on protein and peroxidase secretion, 149
VIRTANEN, P., VÄÄNÄNEN, H. K., PASANEN, L., LÄHDES, S., PURANEN, J. & TAKALA, T. E. S. Effect of immobilization on carbonic anhydrase III and myoglobin content on human leg muscle, 303
VUOLTEENAHO, O. (*see* HASSI, J.)

WAALER, B. A., ERIKSEN, M. & TOSKA, K. The effect of meal size on postprandial increase in cardiac output, 33
WALLBERG-HENRIKSEN, H. (*see* ANDREASSON, K.)
WALLIN, M. (*see* EKSTRÖM, P. A. R.)
WARBERG, J. (*see* MATZEN, S.)
WENNMALM, A. & PETERSSON, A.-S. Endothelium-independent vascular relaxation by histamine in the rabbit aorta, 525
WENNMALM, A. & SANDGREN, G. Metabolic and myogenic components of reactive hyperaemia in the human calf, 529
WIKSTROM, L.-M. (*see* FRIED, G.)
WOHLFART, B. (*see* ARLOCK, P.)
WOHLFART, B. (*see* MORNER, S. E. J. N.)
WRETLING, M.-L. (*see* GERDLE, B.)

YAHAV, J. (*see* JONAS, A.)
YOUNG, P. (*see* MACDOUGALL, J. D.)
ZACKRISSON, C. (*see* KARLSSON, J. A.)
ZERANI, M., GOBBETTI, A. & POLZONETTI-MAGNI, A. *In vitro* steroid production by follicles of frog *Rana esculenta*: mammalian gonadotrophin-releasing hormone effects, 495

Acta Physiol Scand 1991, **142**, 537–540

Subject index

Absorption, 329
Acetazolamide, 291
Acetylcholine, 525
Action potential, 211
Adenosine, 405
Adenosine deaminase, 97
Adenosine uptake inhibitor, 97
ADH, 437
Adipose tissue, 405
ADP-ribosylation, 83
Adrenal, 487
Adrenaline, 11, 487, 509
Adrenergic, 329
Adrenergic agonists, 517
Adrenergic antagonists, 517
Affinity, 247
Airway barriers, 345
Airway smooth muscle, 351
Albumin, 345
Alcohol, 429
Aldosterone, 427
α-adrenoceptors, 91
Alpha-adrenoceptor, 21
α1-adrenoceptor, 247
Altitude, 467
Amiloride, 291
Angiotensin II, 503
ANP prolactin, 427
Antisecretory, 127
Arterial baroceptors, 221
Arterial blood pressure, 313
Arteries, 529
Atrophy, 527
Axonal transport, 181

Baroflex function, 201
Baseline tone, 351
Behaviour, 429
Beta-adrenergic, 11
Beta-adrenoceptor, 21
Bicarbonate, 367
Bicucullin, 411
Bleeding catecholamines, 11
Blockade, 21
Blood components, 261
Blood flow, 59, 339, 503
Blood flow regulation, 529
Blood pressure, 221
Blood pressure regulation, 201
Blood volume, 329
Bone tissue, 267
Bradycardia, 313
Bradykinin, 191
Bradykinin receptors, 141
Brain, 97
Bronchoconstriction, 119
Burst firing, 105

Calcitonin gene-related peptide, 191
Calcium, 375
Calcium recirculation, 211
Calmodulin, 181
Calvaria, 267
Capillarization, 421
Capillary filtration, 1
Capillary pressure, 329
Capsaicin, 191
Carbonic anhydrase III, 303
Cardiac output, 33, 313
Cardiac reflexes, 313
Cardiopulmonary receptors, 221
Cat, 21
Catecholamines, 427, 487
Cell culture, 267
Children, 427
Chloride, 359
Cholecystokinin-8, 397
Cholera, 127, 359
Cholera toxin, 83
Chromaffin granules, 487
Cigarette smoke, 191
Circulatory filling, 329
Citric acid, 191
Clonidine, 91
Compound 48/80, 181
Control of respiration, 411
Coronary blood flow, 467
Cortical thick ascending limbs, 283
Cough, 119
Crayfish, 67
Crocodylus porosus, 509
Crypt, 359
Cycle-triggered averaging, 411
Cyclic AMP, 375
Cyclic GMP, 375
Cytosolic free calcium, 283

Denervation, 443
Dexmedetomidine, 91
Diabetes mellitus, 255
Disaccharidases, 387
Discharge pattern, 411
Distal colon, 375
Disuse atrophy, 303

Diving, 509
Dopamine, 105
Dopamine receptors, 83

EDFR, 165
EDRF, 141
Eicosanoids, 141
Electromyogram, 457
Electromyography, 59, 443
Electron microscopy, 375
Endothelial suppression of myogenic tone, 319
Endothelin, 141, 165
Endothelium, 525
Endothelium-derived relaxing factor, 339
Endurance training in humans, 301
Erythrocyte fragility, 261
Estradiol-17β, 495
Excitation contraction coupling, 135
Excitatory amino acids, 105
Exercise, 301, 467
Exertion, 275
Exudation, 345
e-NANC neurotransmission, 91

Feeding, 509
Femoral artery, 339
Fibre damage, 523
Fibre-type, 457
Fibrin, 339
Fibrinogen, 339
5,6-dihydroxytryptamine, 229
Fluorescence digital imaging microscopy, 283
Follicle, 495
Force, 457
Forearm, 59
Formalin test, 229
FPL 55712, 351
Frog, 495
Frog sciatic nerve, 181
Fura-2/AM, 283

GABA, 411
Galanin, 487
Gamma spectrometry, 475
Gastrointestinal blood flow, 509
Gastrointestinal motility, 509
Glucose, 255
Glutathione, 275, 527
Gonadotrophin-releasing hormone, 495
Growth hormone, 427
Guanethidine, 367
Guinea-pig, 237, 261, 345, 487
Guinea-pigs, 91
G-proteins, 405

Haemolysis, 261
Haemorrhage, 367
Heart rate, 221
Heat exposure, 427
Histamine, 191, 525
Histamine release, 173
Hormones, 481
Human, 255, 457
Human arteries, 77
Human arteries and veins, 165
Human muscles, 133
Humans, 529
Hydrostatic loading, 307
Hypertension, 221
Hyperthermia, 427
Hypobaric, 261
Hypobaric hypoxia, 421
Hypoproteinaemia, 1
Hypovolaemia, 11
Hypoxanthine, 97
Hypoxia, 261

Ileal basal alkaline secretion, 291
Immersion, 303
Immobilization, 303, 527
Impedance cardiography, 313
In vitro myogenic activity, 319
In vitro studies, 255
In vivo, 119
Indomethacin, 351
Inflammation, 345
Inhibition of histamine release, 173
Inhibitor sensitivity, 133
Inhibitory amino acid, 411
Innervation, 157
Inosine, 97
Insufflation pressure, 91
Insulin, 255
Insulin secretion, 397
Interstitial fluid, 1
Interstitial pressure, 1
Intestinal secretion, 127, 359
Intracellular ion exchange, 173
Iontophoresis, 105
Islets of Langerhans, 397
Isometric twitch, 211

Juxtacellular histamine equilibrium, 173

Kinetics of histamine release, 173
Kynurenate, 105

Lactate carrier, 127
Lactate exchange, 467
Lactate transport, 127
Laser Doppler flowmetry, 49
Leg blood flow, 313
Limbic cortex, 429
Lipid peroxidation, 527
Lipolysis, 405
Local application, 105

Low temperature, 481
Lung, 191
Lung centroid, 303
Lung micropuncture, 41
Lymph flow, 1
L-648, 051, 351
Macula densa cells, 283
Main bronchus, 351
Malnutrition, 387
Malondialdehyde, 275
Mammalian, 495
Mast cells, 173
Mat-enkephalin, 291
Meal size, 33
Mean power frequency, 457
Mechanical restitution, 113, 211
Membrane potential, 475
Mesenteric nerve stimulation, 291
Methaemoglobin, 275
Methylene blue, 141
Microanalysis, 359
Microdialysis, 97
Microneurography, 201
Micropipette, 41
Microspheres, 237
Microtubule proteins, 181
Microtubules, 181
Microvascular pressures, 41
Milrinone, 77
Motor cortex, 429
Mouse, 267
Multivariate statistics, 229
Muscimol, 411
Muscle, 457, 475
Muscle fatigue, 135
Muscle injury, 523
Muscle metabolism, 301
Muscle NADH, 301
Muscle ultrastructure, 421
Myocardial excitation–contraction coupling, 113
Myocardial metabolism, 467
Myocardial sarcolemmal calcium, 113
Myogenic responses, 319
Myoglobin 303

Nasal mucosal vasculature, 141
Na-K-ATPase, 475
Nerve, 119
Neural unit activity, 429
Neurokinin A, 157
Neuromuscular junctions, 443
Neuropeptide Y, 487
Neuropeptide Y (NPY), 21
Neuropeptides, 487
Nociception, 229
Noradrenaline, 229, 247, 487
NPY, 291

ODC (ornithine decarboxylase), 387
Oedema-preventing mechanisms, 1
Omentum, 405
OPC 3911, 77
Opioids, 127
Ornithine decarboxylase, 267
Osteoblast, 267
Ouabain, 475
Oxidative stress, 527

PAF, 165
Papillary muscle, 211
PD, 291
Peptide, 339
Perfusion – induces myogenic tone, 319
Pertussis toxin, 83
Phrenic activity, 411
pH-stat method, 291
Placental blood flow, 237
Plasma volume, 11, 329
Plethysmograph, 529
Polyamines, 387
Postcapillary resistance, 11, 329
Postextrasystolic potentiation, 211
Postprandial circulation, 33
Potassium, 59
Potassium and myogenic tone, 319
Potassium currents, 67
Potassium release from mast cells, 173
Prazosin, 247, 367
Precapillary resistance, 11
Pregnancy, 237
Pressure breathing, 307
Pre- to postcapillary resistance, 11
Propranolol, 367
Prostacyclin, 165
Protein kinase C, 397
Protein secretion, 157
Proximal colon, 375
Pulmonary mechanics, 307
Pulmonary vascular resistance, 41
Purines, 97

Rabbit, 429
Rabbit aorta, 525
Rabbit hindquarters preparation, 141
Radiolabelled microspheres, 49
Rapidly adapting, 67
Rat, 157, 475
Rat arteries, 77
Rats, 229, 503, 517
Receptors, 405
Reflex, 119
Regeneration, 443
Regional blood flow, 237
Release equations, 173
Renin, 221
Resiniferatoxin, 191

Rolipram, 77
$RT_{\frac{1}{2}}$ time, 135
Ruthenium red, 191

Salivary glands, 157, 503
Saralasin, 503
Sarcolemmal vesicles, 133
Sarcoplasmic reticulum, 135
Segmental vascular resistance, 41
Sensitivity, 247
Serotonin, 22
Servo-null method, 41
Short-circuited current, 375
SITS, 291
6-Hydroxydopamine
Skeletal muscle, 255, 303, 527
Skin temperature, 481
Small intestine, 127
Sodium, 359
Splanchnic circulation, 33
Splenectomy, 261
Static handgrip, 59
Staurosporine, 397
Stomach, 517
Stretch receptor, 67
Subcellular fractionation, 487
Substance P, 141, 509
Sympathetic, 127, 359
Sympathetic nerve stimulation, 21
Sympathetic nervous system, 201, 221, 367
Syncope, 313

T. brucei, 247
Temperature regulation, 201
Thallium, 475
Thyrotropin, 427
Torque, 457
Trachea, 351
Tracheal blood flow, 49
12-*O*-tetradecanoyl phorbol 13-acetate, 397
2,3-butanedionemonoxime, 211

UK 14, 304, 91
Urate, 275

Vascular endothelium, 165
Vascular myogenic activity, 319
Vascular permeability, 141
Vascular smooth muscle, 77, 247
Vasoconstriction, 21, 329
Villus, 359
Vitamin E, 527

Western blot, 83

Xanthine, 275
X-ray, 359

Yohimbine, 367

Z-disk, 523